




Easy Drain<sup>®</sup>  
by ess

## Modulo Design Z-2

Easy Drain Modulo Design Z-2 linear shower drain gives your bathroom its own identity. The modern and stylish Z-2 grate is installed with a subtle, widened frame on the short side. This series is standard supplied with height adjustable frame (TAF) and pre-assembled sealing membrane (WPS) for easy installation and complete water drainage.

### FEATURES

- Certified - EN 1253
- Siphon - Removable and easy to clean
- Supplied as - Complete set
- Tile Adjustable Frame - Height adjustable 7 - 18 mm
- Water Protection System - 10-year warranty
- Available lengths - 800 - 1200 mm



#### Manufacturer

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | www.easydrain.com

#### Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | www.easydrain.com

## GENERAL

|               |                              |
|---------------|------------------------------|
| Serie         | Modulo Design Z-2            |
| Name          | Modulo Design Z-2            |
| Model         | Linear shower drain          |
| Length (mm)   | 800, 900, 1000, 1200         |
| Product type  | Complete                     |
| Application   | New construction, Renovation |
| Certification | EN 1253, ETAG-022, DIN 18534 |

## INSTALLATION

|                                             |                                                     |
|---------------------------------------------|-----------------------------------------------------|
| Substrate                                   | Concrete / Sand Cement, Wooden floors, Lewis sheets |
| Floor finish                                | Tiles / Mosaic, Glass Mosaic, Thin tiles            |
| Height adjustable feet                      | Included                                            |
| Installation option                         | Floor, Wall                                         |
| Outlet                                      | Horizontal                                          |
| Connection (mm)                             | 50 (Global) / 56 (UK)                               |
| Min. installation depth (mm) (built-in set) | 83                                                  |
| Min. installation depth (mm) (incl. grate)  | 90                                                  |

## DRAINAGE

|                                         |    |
|-----------------------------------------|----|
| Max. drainage capacity entrance (l/min) | 34 |
| Max. drainage capacity wall (l/min)     | 42 |
| Max. drainage capacity (l/min)          | 42 |

## BUILT-IN SET

|                                |                    |
|--------------------------------|--------------------|
| Pre-assembled sealing membrane | Included           |
| Siphon features                | Cleanable          |
| Water seal height (mm)         | 50                 |
| Outlet                         | Horizontal         |
| Material siphon                | Polypropylene (PP) |

## DESIGN

|                         |                               |
|-------------------------|-------------------------------|
| Grate finish            | Tile                          |
| Grate pattern           | Zero / Closed                 |
| Grate width (mm)        | 46                            |
| Grate tile insert (mm)  | 12                            |
| Adjustable grate        | No                            |
| Frame type              | TAF (Tile Adjustable Frame)   |
| TAF Frame material      | Stainless steel (304)         |
| Design frame finish     | Chrome-plated stainless steel |
| Frame width (mm)        | 62                            |
| Wheelchair accessible   | Yes                           |
| Extension set available | No                            |



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com


### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

## ARTICLE CODE

|         |                               |  |  |
|---------|-------------------------------|--|--|
| 800 mm  | MTAFDZ2PT 800 / EDM1 800-50   |  |  |
| 900 mm  | MTAFDZ2PT 900 / EDM1 900-50   |  |  |
| 1000 mm | MTAFDZ2PT 1000 / EDM1 1000-50 |  |  |
| 1200 mm | MTAFDZ2PT 1200 / EDM1 1200-50 |  |  |

## TECHNICAL DRAWINGS




### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com

### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com



Easy Drain<sup>®</sup>  
by ess

## Modulo Design Z-2

Easy Drain Modulo Design Z-2 linear shower drain gives your bathroom its own identity. The modern and stylish Z-2 grate is installed with a subtle, widened frame on the short side. This series is standard supplied with height adjustable frame (TAF) and pre-assembled sealing membrane (WPS) for easy installation and complete water drainage.

### FEATURES

- Siphon - Easy to clean
- Supplied as - Complete set
- Tile Adjustable Frame - Height adjustable 7 - 18 mm
- Water Protection System - 10-year warranty
- Available lengths - 800 - 1200 mm



#### Manufacturer

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | www.easydrain.com

#### Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | www.easydrain.com

## GENERAL

|               |                              |
|---------------|------------------------------|
| Serie         | Modulo Design Z-2            |
| Name          | Modulo Design Z-2            |
| Model         | Linear shower drain          |
| Length (mm)   | 800, 900, 1000, 1200         |
| Product type  | Complete                     |
| Application   | New construction, Renovation |
| Certification | EN 1253, DIN 18534           |

## INSTALLATION

|                                             |                                                     |
|---------------------------------------------|-----------------------------------------------------|
| Substrate                                   | Concrete / Sand Cement, Wooden floors, Lewis sheets |
| Floor finish                                | Tiles / Mosaic, Glass Mosaic, Thin tiles            |
| Height adjustable feet                      | Included                                            |
| Installation option                         | Floor, Wall                                         |
| Outlet                                      | Horizontal (Vertical outlet optional)               |
| Connection (mm)                             | 40                                                  |
| Min. installation depth (mm) (built-in set) | 70                                                  |
| Min. installation depth (mm) (incl. grate)  | 77                                                  |

## DRAINAGE

|                                         |    |
|-----------------------------------------|----|
| Max. drainage capacity entrance (l/min) | 28 |
| Max. drainage capacity wall (l/min)     | 33 |
| Max. drainage capacity (l/min)          | 33 |

## BUILT-IN SET

|                                |                                                    |
|--------------------------------|----------------------------------------------------|
| Pre-assembled sealing membrane | Included                                           |
| Siphon features                | Cleanable, Pivotal & adjustable, Height adjustable |
| Water seal height (mm)         | 28                                                 |
| Outlet                         | Horizontal (Vertical outlet optional)              |
| Material siphon                | ABS                                                |

## DESIGN

|                         |                               |
|-------------------------|-------------------------------|
| Grate finish            | Tile                          |
| Grate pattern           | Zero / Closed                 |
| Grate width (mm)        | 46                            |
| Grate tile insert (mm)  | 12                            |
| Adjustable grate        | No                            |
| Frame type              | TAF (Tile Adjustable Frame)   |
| TAF Frame material      | Stainless steel (304)         |
| Design frame finish     | Chrome-plated stainless steel |
| Frame width (mm)        | 62                            |
| Wheelchair accessible   | Yes                           |
| Extension set available | No                            |



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com


### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

## ARTICLE CODE

|         |                               |  |  |
|---------|-------------------------------|--|--|
| 800 mm  | MTAFDZ2PT 800 / EDM2 800-35   |  |  |
| 900 mm  | MTAFDZ2PT 900 / EDM2 900-35   |  |  |
| 1000 mm | MTAFDZ2PT 1000 / EDM2 1000-35 |  |  |
| 1200 mm | MTAFDZ2PT 1200 / EDM2 1200-35 |  |  |
|         |                               |  |  |
|         |                               |  |  |

## TECHNICAL DRAWINGS




**Manufacturer**

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | [www.easydrain.com](http://www.easydrain.com)

## Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | [www.easydrain.com](http://www.easydrain.com)



Easy Drain<sup>®</sup>  
by ess

## Modulo Design Z-2

Easy Drain Modulo Design Z-2 linear shower drain gives your bathroom its own identity. The modern and stylish Z-2 grate is installed with a subtle, widened frame on the short side. This series is standard supplied with height adjustable frame (TAF) and pre-assembled sealing membrane (WPS) for easy installation and complete water drainage.

### FEATURES

- Siphon - Easy to clean
- Supplied as - Complete set
- Tile Adjustable Frame - Height adjustable 7 - 18 mm
- Water Protection System - 10-year warranty
- Available lengths - 800 - 1200 mm



#### Manufacturer

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | www.easydrain.com

#### Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | www.easydrain.com

## GENERAL

|               |                              |
|---------------|------------------------------|
| Serie         | Modulo Design Z-2            |
| Name          | Modulo Design Z-2            |
| Model         | Linear shower drain          |
| Length (mm)   | 800, 900, 1000, 1200         |
| Product type  | Complete                     |
| Application   | New construction, Renovation |
| Certification | EN 1253, DIN 18534           |

## INSTALLATION

|                                             |                                                     |
|---------------------------------------------|-----------------------------------------------------|
| Substrate                                   | Concrete / Sand Cement, Wooden floors, Lewis sheets |
| Floor finish                                | Tiles / Mosaic, Glass Mosaic, Thin tiles            |
| Height adjustable feet                      | Included                                            |
| Installation option                         | Floor, Wall                                         |
| Outlet                                      | Horizontal                                          |
| Connection (mm)                             | 40                                                  |
| Min. installation depth (mm) (built-in set) | 63                                                  |
| Min. installation depth (mm) (incl. grate)  | 70                                                  |

## DRAINAGE

|                                         |    |
|-----------------------------------------|----|
| Max. drainage capacity entrance (l/min) | 25 |
| Max. drainage capacity wall (l/min)     | 32 |
| Max. drainage capacity (l/min)          | 32 |

## BUILT-IN SET

|                                |                    |
|--------------------------------|--------------------|
| Pre-assembled sealing membrane | Included           |
| Siphon features                | Cleanable          |
| Water seal height (mm)         | 30                 |
| Outlet                         | Horizontal         |
| Material siphon                | Polypropylene (PP) |

## DESIGN

|                         |                               |
|-------------------------|-------------------------------|
| Grate finish            | Tile                          |
| Grate pattern           | Zero / Closed                 |
| Grate width (mm)        | 46                            |
| Grate tile insert (mm)  | 12                            |
| Adjustable grate        | No                            |
| Frame type              | TAF (Tile Adjustable Frame)   |
| TAF Frame material      | Stainless steel (304)         |
| Design frame finish     | Chrome-plated stainless steel |
| Frame width (mm)        | 62                            |
| Wheelchair accessible   | Yes                           |
| Extension set available | No                            |



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com


### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

## ARTICLE CODE

|         |                               |  |  |
|---------|-------------------------------|--|--|
| 800 mm  | MTAFDZ2PT 800 / EDM1 800-30   |  |  |
| 900 mm  | MTAFDZ2PT 900 / EDM1 900-30   |  |  |
| 1000 mm | MTAFDZ2PT 1000 / EDM1 1000-30 |  |  |
| 1200 mm | MTAFDZ2PT 1200 / EDM1 1200-30 |  |  |

## TECHNICAL DRAWINGS




### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com

### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com



Easy Drain<sup>®</sup>  
by ess

## Modulo Design Z-2

Easy Drain Modulo Design Z-2 linear shower drain gives your bathroom its own identity. The modern and stylish Z-2 grate is installed with a subtle, widened frame on the short side. This series is standard supplied with height adjustable frame (TAF) and pre-assembled sealing membrane (WPS) for easy installation and complete water drainage.

### FEATURES

- Certified - EN 1253
- Siphon - Easy to clean
- Supplied as - Complete set
- Tile Adjustable Frame - Height adjustable 7 - 18 mm
- Water Protection System - 10-year warranty
- Available lengths - 800 - 1200 mm



#### Manufacturer

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | www.easydrain.com

#### Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | www.easydrain.com

## GENERAL

|               |                              |
|---------------|------------------------------|
| Serie         | Modulo Design Z-2            |
| Name          | Modulo Design Z-2            |
| Model         | Linear shower drain          |
| Length (mm)   | 800, 900, 1000, 1200         |
| Product type  | Complete                     |
| Application   | New construction, Renovation |
| Certification | EN 1253, ETAG-022, DIN 18534 |

## INSTALLATION

|                                             |                                                     |
|---------------------------------------------|-----------------------------------------------------|
| Substrate                                   | Concrete / Sand Cement, Wooden floors, Lewis sheets |
| Floor finish                                | Tiles / Mosaic, Glass Mosaic, Thin tiles            |
| Height adjustable feet                      | Included                                            |
| Installation option                         | Floor, Wall                                         |
| Outlet                                      | Horizontal (Vertical outlet optional)               |
| Connection (mm)                             | 50 (Global) / 56 (UK)                               |
| Min. installation depth (mm) (built-in set) | 87                                                  |
| Min. installation depth (mm) (incl. grate)  | 94                                                  |

## DRAINAGE

|                                         |    |
|-----------------------------------------|----|
| Max. drainage capacity entrance (l/min) | 33 |
| Max. drainage capacity wall (l/min)     | 41 |
| Max. drainage capacity (l/min)          | 41 |

## BUILT-IN SET

|                                |                                                    |
|--------------------------------|----------------------------------------------------|
| Pre-assembled sealing membrane | Included                                           |
| Siphon features                | Cleanable, Pivotal & adjustable, Height adjustable |
| Water seal height (mm)         | 50                                                 |
| Outlet                         | Horizontal (Vertical outlet optional)              |
| Material siphon                | Polypropylene (PP)                                 |

## DESIGN

|                         |                               |
|-------------------------|-------------------------------|
| Grate finish            | Tile                          |
| Grate pattern           | Zero / Closed                 |
| Grate width (mm)        | 46                            |
| Grate tile insert (mm)  | 12                            |
| Adjustable grate        | No                            |
| Frame type              | TAF (Tile Adjustable Frame)   |
| TAF Frame material      | Stainless steel (304)         |
| Design frame finish     | Chrome-plated stainless steel |
| Frame width (mm)        | 62                            |
| Wheelchair accessible   | Yes                           |
| Extension set available | No                            |



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com


### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

## ARTICLE CODE

|         |                               |  |  |
|---------|-------------------------------|--|--|
| 800 mm  | MTAFDZ2PT 800 / EDM2 800-50   |  |  |
| 900 mm  | MTAFDZ2PT 900 / EDM2 900-50   |  |  |
| 1000 mm | MTAFDZ2PT 1000 / EDM2 1000-50 |  |  |
| 1200 mm | MTAFDZ2PT 1200 / EDM2 1200-50 |  |  |

## TECHNICAL DRAWINGS




### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com

### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com



Easy Drain<sup>®</sup>  
by ess

## Modulo Design Z-2

Easy Drain Modulo Design Z-2 linear shower drain gives your bathroom its own identity. The modern and stylish Z-2 grate is installed with a subtle, widened frame on the short side. This series is standard supplied with height adjustable frame (TAF) and pre-assembled sealing membrane (WPS) for easy installation and complete water drainage.

### FEATURES

- Siphon - Easy to clean
- Supplied as - Complete set
- Tile Adjustable Frame - Height adjustable 7 - 18 mm
- Water Protection System - 10-year warranty
- Available lengths - 800 - 1200 mm



#### Manufacturer

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | www.easydrain.com

#### Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | www.easydrain.com

## GENERAL

|               |                              |
|---------------|------------------------------|
| Serie         | Modulo Design Z-2            |
| Name          | Modulo Design Z-2            |
| Model         | Linear shower drain          |
| Length (mm)   | 800, 900, 1000, 1200         |
| Product type  | Complete                     |
| Application   | New construction, Renovation |
| Certification | EN 1253, DIN 18534           |

## INSTALLATION

|                                             |                                                     |
|---------------------------------------------|-----------------------------------------------------|
| Substrate                                   | Concrete / Sand Cement, Wooden floors, Lewis sheets |
| Floor finish                                | Tiles / Mosaic, Glass Mosaic, Thin tiles            |
| Height adjustable feet                      | Included                                            |
| Installation option                         | Floor, Wall                                         |
| Outlet                                      | Horizontal (Vertical outlet optional)               |
| Connection (mm)                             | 40                                                  |
| Min. installation depth (mm) (built-in set) | 70                                                  |
| Min. installation depth (mm) (incl. grate)  | 77                                                  |

## DRAINAGE

|                                         |    |
|-----------------------------------------|----|
| Max. drainage capacity entrance (l/min) | 28 |
| Max. drainage capacity wall (l/min)     | 33 |
| Max. drainage capacity (l/min)          | 33 |

## BUILT-IN SET

|                                |                                                    |
|--------------------------------|----------------------------------------------------|
| Pre-assembled sealing membrane | Included                                           |
| Siphon features                | Cleanable, Pivotal & adjustable, Height adjustable |
| Water seal height (mm)         | 28                                                 |
| Outlet                         | Horizontal (Vertical outlet optional)              |
| Material siphon                | ABS                                                |

## DESIGN

|                         |                             |
|-------------------------|-----------------------------|
| Grate finish            | Tile                        |
| Grate pattern           | Zero / Closed               |
| Grate width (mm)        | 46                          |
| Grate tile insert (mm)  | 12                          |
| Adjustable grate        | No                          |
| Frame type              | TAF (Tile Adjustable Frame) |
| TAF Frame material      | Stainless steel (304)       |
| Design frame finish     | Brushed stainless steel     |
| Frame width (mm)        | 62                          |
| Wheelchair accessible   | Yes                         |
| Extension set available | No                          |



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com


### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

## ARTICLE CODE

|         |                               |  |  |
|---------|-------------------------------|--|--|
| 800 mm  | MTAFDZ2MT 800 / EDM2 800-35   |  |  |
| 900 mm  | MTAFDZ2MT 900 / EDM2 900-35   |  |  |
| 1000 mm | MTAFDZ2MT 1000 / EDM2 1000-35 |  |  |
| 1200 mm | MTAFDZ2MT 1200 / EDM2 1200-35 |  |  |

## TECHNICAL DRAWINGS



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com

### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com



Easy Drain<sup>®</sup>  
by ess

## Modulo Design Z-2

Easy Drain Modulo Design Z-2 linear shower drain gives your bathroom its own identity. The modern and stylish Z-2 grate is installed with a subtle, widened frame on the short side. This series is standard supplied with height adjustable frame (TAF) and pre-assembled sealing membrane (WPS) for easy installation and complete water drainage.

### FEATURES

- Siphon - Removable and easy to clean
- Supplied as - Complete set
- Tile Adjustable Frame - Height adjustable 7 - 18 mm
- Water Protection System - 10-year warranty
- Available lengths - 800 - 1200 mm



#### Manufacturer

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | www.easydrain.com

#### Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | www.easydrain.com

Page 1 / 3

## GENERAL

|               |                              |
|---------------|------------------------------|
| Serie         | Modulo Design Z-2            |
| Name          | Modulo Design Z-2            |
| Model         | Linear shower drain          |
| Length (mm)   | 800, 900, 1000, 1200         |
| Product type  | Complete                     |
| Application   | New construction, Renovation |
| Certification | EN 1253, DIN 18534           |

## INSTALLATION

|                                             |                                                     |
|---------------------------------------------|-----------------------------------------------------|
| Substrate                                   | Concrete / Sand Cement, Wooden floors, Lewis sheets |
| Floor finish                                | Tiles / Mosaic, Glass Mosaic, Thin tiles            |
| Height adjustable feet                      | Included                                            |
| Installation option                         | Floor, Wall                                         |
| Outlet                                      | Horizontal                                          |
| Connection (mm)                             | 40                                                  |
| Min. installation depth (mm) (built-in set) | 63                                                  |
| Min. installation depth (mm) (incl. grate)  | 70                                                  |

## DRAINAGE

|                                         |    |
|-----------------------------------------|----|
| Max. drainage capacity entrance (l/min) | 25 |
| Max. drainage capacity wall (l/min)     | 32 |
| Max. drainage capacity (l/min)          | 32 |

## BUILT-IN SET

|                                |                    |
|--------------------------------|--------------------|
| Pre-assembled sealing membrane | Included           |
| Siphon features                | Cleanable          |
| Water seal height (mm)         | 30                 |
| Outlet                         | Horizontal         |
| Material siphon                | Polypropylene (PP) |

## DESIGN

|                         |                             |
|-------------------------|-----------------------------|
| Grate finish            | Tile                        |
| Grate pattern           | Zero / Closed               |
| Grate width (mm)        | 46                          |
| Grate tile insert (mm)  | 12                          |
| Adjustable grate        | No                          |
| Frame type              | TAF (Tile Adjustable Frame) |
| TAF Frame material      | Stainless steel (304)       |
| Design frame finish     | Brushed stainless steel     |
| Frame width (mm)        | 62                          |
| Wheelchair accessible   | Yes                         |
| Extension set available | No                          |



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com


### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

## ARTICLE CODE

|         |                               |  |  |
|---------|-------------------------------|--|--|
| 800 mm  | MTAFDZ2MT 800 / EDM1 800-30   |  |  |
| 900 mm  | MTAFDZ2MT 900 / EDM1 900-30   |  |  |
| 1000 mm | MTAFDZ2MT 1000 / EDM1 1000-30 |  |  |
| 1200 mm | MTAFDZ2MT 1200 / EDM1 1200-30 |  |  |

## TECHNICAL DRAWINGS



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com

### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

The logo for Easy Drain by ess. 'Easy Drain' is in a large, orange, sans-serif font. 'by ess' is in a smaller, grey, sans-serif font below it.

## Modulo Design Z-2

Easy Drain Modulo Design Z-2 linear shower drain gives your bathroom its own identity. The modern and stylish Z-2 grate is installed with a subtle, widened frame on the short side. This series is standard supplied with height adjustable frame (TAF) and pre-assembled sealing membrane (WPS) for easy installation and complete water drainage.

### FEATURES

- Certified - EN 1253
- Siphon - Easy to clean
- Supplied as - Complete set
- Tile Adjustable Frame - Height adjustable 7 - 18 mm
- Water Protection System - 10-year warranty
- Available lengths - 800 - 1200 mm



#### Manufacturer

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | www.easydrain.com

#### Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | www.easydrain.com

## GENERAL

|               |                              |
|---------------|------------------------------|
| Serie         | Modulo Design Z-2            |
| Name          | Modulo Design Z-2            |
| Model         | Linear shower drain          |
| Length (mm)   | 800, 900, 1000, 1200         |
| Product type  | Complete                     |
| Application   | New construction, Renovation |
| Certification | EN 1253, ETAG-022, DIN 18534 |

## INSTALLATION

|                                             |                                                     |
|---------------------------------------------|-----------------------------------------------------|
| Substrate                                   | Concrete / Sand Cement, Wooden floors, Lewis sheets |
| Floor finish                                | Tiles / Mosaic, Glass Mosaic, Thin tiles            |
| Height adjustable feet                      | Included                                            |
| Installation option                         | Floor, Wall                                         |
| Outlet                                      | Horizontal                                          |
| Connection (mm)                             | 50 (Global) / 56 (UK)                               |
| Min. installation depth (mm) (built-in set) | 83                                                  |
| Min. installation depth (mm) (incl. grate)  | 90                                                  |

## DRAINAGE

|                                         |    |
|-----------------------------------------|----|
| Max. drainage capacity entrance (l/min) | 34 |
| Max. drainage capacity wall (l/min)     | 42 |
| Max. drainage capacity (l/min)          | 42 |

## BUILT-IN SET

|                                |                    |
|--------------------------------|--------------------|
| Pre-assembled sealing membrane | Included           |
| Siphon features                | Cleanable          |
| Water seal height (mm)         | 50                 |
| Outlet                         | Horizontal         |
| Material siphon                | Polypropylene (PP) |

## DESIGN

|                         |                             |
|-------------------------|-----------------------------|
| Grate finish            | Tile                        |
| Grate pattern           | Zero / Closed               |
| Grate width (mm)        | 46                          |
| Grate tile insert (mm)  | 12                          |
| Adjustable grate        | No                          |
| Frame type              | TAF (Tile Adjustable Frame) |
| TAF Frame material      | Stainless steel (304)       |
| Design frame finish     | Brushed stainless steel     |
| Frame width (mm)        | 62                          |
| Wheelchair accessible   | Yes                         |
| Extension set available | No                          |



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com


### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

## ARTICLE CODE

|         |                               |  |  |
|---------|-------------------------------|--|--|
| 800 mm  | MTAFDZ2MT 800 / EDM1 800-50   |  |  |
| 900 mm  | MTAFDZ2MT 900 / EDM1 900-50   |  |  |
| 1000 mm | MTAFDZ2MT 1000 / EDM1 1000-50 |  |  |
| 1200 mm | MTAFDZ2MT 1200 / EDM1 1200-50 |  |  |
|         |                               |  |  |
|         |                               |  |  |

## TECHNICAL DRAWINGS



**Manufacturer**

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
[info@esspost.com](mailto:info@esspost.com) | [www.easydrain.com](http://www.easydrain.com)

## Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | [www.easydrain.com](http://www.easydrain.com)

The logo for Easy Drain by ess. 'Easy Drain' is in a large, orange, sans-serif font. 'by ess' is in a smaller, grey, sans-serif font below it.

## Modulo Design Z-2

Easy Drain Modulo Design Z-2 linear shower drain gives your bathroom its own identity. The modern and stylish Z-2 grate is installed with a subtle, widened frame on the short side. This series is standard supplied with height adjustable frame (TAF) and pre-assembled sealing membrane (WPS) for easy installation and complete water drainage.

### FEATURES

- Certified - EN 1253
- Siphon - Easy to clean
- Supplied as - Complete set
- Tile Adjustable Frame - Height adjustable 7 - 18 mm
- Water Protection System - 10-year warranty
- Available lengths - 800 - 1200 mm



#### Manufacturer

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
info@esspost.com | www.easydrain.com

#### Contact

Easy Sanitary Solutions  
Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
sales@esspost.com | www.easydrain.com

## GENERAL

|               |                              |
|---------------|------------------------------|
| Serie         | Modulo Design Z-2            |
| Name          | Modulo Design Z-2            |
| Model         | Linear shower drain          |
| Length (mm)   | 800, 900, 1000, 1200         |
| Product type  | Complete                     |
| Application   | New construction, Renovation |
| Certification | EN 1253, ETAG-022, DIN 18534 |

## INSTALLATION

|                                             |                                                     |
|---------------------------------------------|-----------------------------------------------------|
| Substrate                                   | Concrete / Sand Cement, Wooden floors, Lewis sheets |
| Floor finish                                | Tiles / Mosaic, Glass Mosaic, Thin tiles            |
| Height adjustable feet                      | Included                                            |
| Installation option                         | Floor, Wall                                         |
| Outlet                                      | Horizontal (Vertical outlet optional)               |
| Connection (mm)                             | 50 (Global) / 56 (UK)                               |
| Min. installation depth (mm) (built-in set) | 87                                                  |
| Min. installation depth (mm) (incl. grate)  | 94                                                  |

## DRAINAGE

|                                         |    |
|-----------------------------------------|----|
| Max. drainage capacity entrance (l/min) | 33 |
| Max. drainage capacity wall (l/min)     | 41 |
| Max. drainage capacity (l/min)          | 41 |

## BUILT-IN SET

|                                |                                                    |
|--------------------------------|----------------------------------------------------|
| Pre-assembled sealing membrane | Included                                           |
| Siphon features                | Cleanable, Pivotal & adjustable, Height adjustable |
| Water seal height (mm)         | 50                                                 |
| Outlet                         | Horizontal (Vertical outlet optional)              |
| Material siphon                | Polypropylene (PP)                                 |

## DESIGN

|                         |                             |
|-------------------------|-----------------------------|
| Grate finish            | Tile                        |
| Grate pattern           | Zero / Closed               |
| Grate width (mm)        | 46                          |
| Grate tile insert (mm)  | 12                          |
| Adjustable grate        | No                          |
| Frame type              | TAF (Tile Adjustable Frame) |
| TAF Frame material      | Stainless steel (304)       |
| Design frame finish     | Brushed stainless steel     |
| Frame width (mm)        | 62                          |
| Wheelchair accessible   | Yes                         |
| Extension set available | No                          |



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com


### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com

## ARTICLE CODE

|         |                               |  |  |
|---------|-------------------------------|--|--|
| 800 mm  | MTAFDZ2MT 800 / EDM2 800-50   |  |  |
| 900 mm  | MTAFDZ2MT 900 / EDM2 900-50   |  |  |
| 1000 mm | MTAFDZ2MT 1000 / EDM2 1000-50 |  |  |
| 1200 mm | MTAFDZ2MT 1200 / EDM2 1200-50 |  |  |

## TECHNICAL DRAWINGS



### Manufacturer

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 info@esspost.com | www.easydrain.com

### Contact

Easy Sanitary Solutions  
 Nijverheidsstraat 60 | 7575 BK Oldenzaal | The Netherlands  
 T. +31 (0)541 200 800 | F. +31 (0)541 200 899  
 sales@esspost.com | www.easydrain.com